

# Fresh Navel Blood Orange, Honey Orange Contains Citral, Vitamin A, No Chemical Pesticide

# **Specifications:**

opcomoations.			
Price	US \$500 - \$1000 / Metric Ton		
Brand Name	Orange		
Model Number	O102		
Place of Origin	Jiangxi China (Mainland)		
Min.Order Quantity	1 Carton		
Payment Terms	T/T with 30% before production, 70% balance before delivery; L/C		
Supply Ability	Supply four seasons, all the year round. 280 Metric Ton/ Metric Tons per Month		
Delivery Detail	around 7 days after receipt of 30% deposit		
Packaging Details 10kg/15kg /20kg /ctn			
Style	Fresh		
Product Type	Citrus Fruit		
Туре	Orange		
Color	Orange		
Cultivation Type	Common		
Grade	A		

## **Detail Introduction:**

Fresh Navel Blood Orange, Honey Orange Contains Citral, Vitamin A, No Chemical Pesticide

## **Quick Detail:**

Style: Fresh

Product Type: Citrus Fruit

Type: Orange

Cultivation Type: Common

Color: orange

Certification: ISO 9001, SGS, HACCP, GLOBAL GAP

Grade: A Maturity: 85 Size (cm): 8.5



Weight (kg): 15

Place of Origin: Jiangxi China (Mainland)

Brand Name: Orange Model Number: O102

Advantage: intergrating process, store and export in a body

## **Description:**

Chinese new fruits fresh navel orange fresh citrus fruits

1.

Туре	Grade	Shape	Color	Average Unit Weight	Specification	Skin Thickness	flavour
Newhall	1st grade	Oval	Dark orange	255g	70-95mm	0.4-0.5mm	Aromatic
Bonanza	1st grade	Round	Red orange	275g	70-95mm	0.35-0.5mm	Aromatic

	Туре	Acid content (%)	Solid content (%)	Sugar content (%)	Juice content (%)	Vitamin C content	Seed content	Maturity ti
	Newhall	<0.65	>12	10-11.5	48-49	46.5- 64.0 mg/100ml	0	Novembe
	Bonanza	<0.8	>11	10.5-12	50	57.2- 65.0 mg/100ml		

<sup>2.</sup> Supply time: from October to December, all the year round

4.

Fresh fru	it: Navel Orange				
Size	Counts in carton	Gross Weight	40'RF	Outer Packing	Inner Packing
90MM	32PCS/CTN	15KGS	1750CTNS	colored carton	protection paper, edible wax coating
85MM	40PCS/CTN	15KGS	1750CTNS	colored carton	protection paper, edible wax coating
80MM	48PCS/CTN	15KGS	1750CTNS	colored carton	protection paper, edible wax coating
75MM	56PCS/CTN	15KGS	1750CTNS	colored carton	protection paper, edible wax coating
70MM	72PCS/CTN	15KGS	1750CTNS	colored carton	protection paper, edible wax coating

5.

Chinese new fruits fresh navel orange fresh citrus fruits

## **Nutritional value**

Oranges, like most citrus fruits, are a good source of vitamin C.

<sup>3.</sup>Taste: honey-sweet and juicy



Nutritional value per 100 g (3.5 oz)         Energy       197 kJ (47 kcal)         Carbohydrates       11.75 g         - Sugars       9.35 g         - Dietary fibre       2.4 g         Fat       0.12 g         Protein       0.94 g         Water       86.75 g         Vitamin A equiv.       11 ?g (1%)         Thiamine (vit. B1)       0.087 mg (8%)         Riboflavin (vit. B2)       0.04 mg (3%)         Niacin (vit. B3)       0.282 mg (2%)         Pantothenic acid (B5)       0.25 mg (5%)         Vitamin B6       0.06 mg (5%)         Folate (vit. B9)       30 ?g (8%)         Choline       8.4 mg (2%)         Vitamin C       53.2 mg (64%)         Vitamin E       0.18 mg (1%)         Calcium       40 mg (4%)         Iron       0.1 mg (1%)         Magnesium       10 mg (3%)         Manganese       0.025 mg (1%)         Phosphorus       14 mg (2%)         Phosphorus       14 mg (4%)         Zinc       0.07 mg (1%)	Oranges, raw, all commercial varieties				
Carbohydrates 11.75 g  - Sugars 9.35 g  - Dietary fibre 2.4 g  Fat 0.12 g  Protein 0.94 g  Water 86.75 g  Vitamin A equiv. 11 ?g (1%)  Thiamine (vit. B1) 0.087 mg (8%)  Riboflavin (vit. B2) 0.04 mg (3%)  Niacin (vit. B3) 0.282 mg (2%)  Pantothenic acid (B5) 0.25 mg (5%)  Vitamin B6 0.06 mg (5%)  Folate (vit. B9) 30 ?g (8%)  Choline 8.4 mg (2%)  Vitamin C 53.2 mg (64%)  Vitamin E 0.18 mg (1%)  Calcium 40 mg (4%)  Iron 0.1 mg (1%)  Magnesium 10 mg (3%)  Manganese 0.025 mg (1%)  Phosphorus 14 mg (2%)  Potassium 181 mg (4%)	Nutritional value per 100 g (3.5 oz)				
- Sugars 9.35 g  - Dietary fibre 2.4 g  Fat 0.12 g  Protein 0.94 g  Water 86.75 g  Vitamin A equiv. 11 ?g (1%)  Thiamine (vit. B1) 0.087 mg (8%)  Riboflavin (vit. B2) 0.04 mg (3%)  Niacin (vit. B3) 0.282 mg (2%)  Pantothenic acid (B5) 0.25 mg (5%)  Vitamin B6 0.06 mg (5%)  Folate (vit. B9) 30 ?g (8%)  Choline 8.4 mg (2%)  Vitamin C 53.2 mg (64%)  Vitamin E 0.18 mg (1%)  Calcium 40 mg (4%)  Iron 0.1 mg (1%)  Magnesium 10 mg (3%)  Manganese 0.025 mg (1%)  Phosphorus 14 mg (2%)  Potassium 181 mg (4%)	Energy	197 kJ (47 kcal)			
- Dietary fibre	Carbohydrates	11.75 g			
Fat 0.12 g Protein 0.94 g Water 86.75 g Vitamin A equiv. 11 ?g (1%) Thiamine (vit. B1) 0.087 mg (8%) Riboflavin (vit. B2) 0.04 mg (3%) Niacin (vit. B3) 0.282 mg (2%) Pantothenic acid (B5) 0.25 mg (5%) Vitamin B6 0.06 mg (5%) Folate (vit. B9) 30 ?g (8%) Choline 8.4 mg (2%) Vitamin C 53.2 mg (64%) Vitamin E 0.18 mg (1%) Calcium 40 mg (4%) Iron 0.1 mg (1%) Magnesium 10 mg (3%) Manganese 0.025 mg (1%) Phosphorus 14 mg (2%) Potassium 181 mg (4%)	- Sugars	9.35 g			
Protein 0.94 g  Water 86.75 g  Vitamin A equiv. 11 ?g (1%)  Thiamine (vit. B1) 0.087 mg (8%)  Riboflavin (vit. B2) 0.04 mg (3%)  Niacin (vit. B3) 0.282 mg (2%)  Pantothenic acid (B5) 0.25 mg (5%)  Vitamin B6 0.06 mg (5%)  Folate (vit. B9) 30 ?g (8%)  Choline 8.4 mg (2%)  Vitamin C 53.2 mg (64%)  Vitamin E 0.18 mg (1%)  Calcium 40 mg (4%)  Iron 0.1 mg (1%)  Magnesium 10 mg (3%)  Manganese 0.025 mg (1%)  Phosphorus 14 mg (2%)  Potassium 181 mg (4%)	- Dietary fibre	2.4 g			
Water       86.75 g         Vitamin A equiv.       11 ?g (1%)         Thiamine (vit. B1)       0.087 mg (8%)         Riboflavin (vit. B2)       0.04 mg (3%)         Niacin (vit. B3)       0.282 mg (2%)         Pantothenic acid (B5)       0.25 mg (5%)         Vitamin B6       0.06 mg (5%)         Folate (vit. B9)       30 ?g (8%)         Choline       8.4 mg (2%)         Vitamin C       53.2 mg (64%)         Vitamin E       0.18 mg (1%)         Calcium       40 mg (4%)         Iron       0.1 mg (1%)         Magnesium       10 mg (3%)         Manganese       0.025 mg (1%)         Phosphorus       14 mg (2%)         Potassium       181 mg (4%)	Fat	0.12 g			
Vitamin A equiv.       11 ?g (1%)         Thiamine (vit. B1)       0.087 mg (8%)         Riboflavin (vit. B2)       0.04 mg (3%)         Niacin (vit. B3)       0.282 mg (2%)         Pantothenic acid (B5)       0.25 mg (5%)         Vitamin B6       0.06 mg (5%)         Folate (vit. B9)       30 ?g (8%)         Choline       8.4 mg (2%)         Vitamin C       53.2 mg (64%)         Vitamin E       0.18 mg (1%)         Calcium       40 mg (4%)         Iron       0.1 mg (1%)         Magnesium       10 mg (3%)         Manganese       0.025 mg (1%)         Phosphorus       14 mg (2%)         Potassium       181 mg (4%)	Protein	0.94 g			
Thiamine (vit. B1)	Water	86.75 g			
Riboflavin (vit. B2)       0.04 mg (3%)         Niacin (vit. B3)       0.282 mg (2%)         Pantothenic acid (B5)       0.25 mg (5%)         Vitamin B6       0.06 mg (5%)         Folate (vit. B9)       30 ?g (8%)         Choline       8.4 mg (2%)         Vitamin C       53.2 mg (64%)         Vitamin E       0.18 mg (1%)         Calcium       40 mg (4%)         Iron       0.1 mg (1%)         Magnesium       10 mg (3%)         Manganese       0.025 mg (1%)         Phosphorus       14 mg (2%)         Potassium       181 mg (4%)	Vitamin A equiv.	11 ?g (1%)			
Niacin (vit. B3)       0.282 mg (2%)         Pantothenic acid (B5)       0.25 mg (5%)         Vitamin B6       0.06 mg (5%)         Folate (vit. B9)       30 ?g (8%)         Choline       8.4 mg (2%)         Vitamin C       53.2 mg (64%)         Vitamin E       0.18 mg (1%)         Calcium       40 mg (4%)         Iron       0.1 mg (1%)         Magnesium       10 mg (3%)         Manganese       0.025 mg (1%)         Phosphorus       14 mg (2%)         Potassium       181 mg (4%)	Thiamine (vit. B1)	0.087 mg (8%)			
Pantothenic acid (B5)       0.25 mg (5%)         Vitamin B6       0.06 mg (5%)         Folate (vit. B9)       30 ?g (8%)         Choline       8.4 mg (2%)         Vitamin C       53.2 mg (64%)         Vitamin E       0.18 mg (1%)         Calcium       40 mg (4%)         Iron       0.1 mg (1%)         Magnesium       10 mg (3%)         Manganese       0.025 mg (1%)         Phosphorus       14 mg (2%)         Potassium       181 mg (4%)	Riboflavin (vit. B2)	0.04 mg (3%)			
Vitamin B6       0.06 mg (5%)         Folate (vit. B9)       30 ?g (8%)         Choline       8.4 mg (2%)         Vitamin C       53.2 mg (64%)         Vitamin E       0.18 mg (1%)         Calcium       40 mg (4%)         Iron       0.1 mg (1%)         Magnesium       10 mg (3%)         Manganese       0.025 mg (1%)         Phosphorus       14 mg (2%)         Potassium       181 mg (4%)	Niacin (vit. B3)	0.282 mg (2%)			
Folate (vit. B9)  Choline  8.4 mg (2%)  Vitamin C  53.2 mg (64%)  Vitamin E  0.18 mg (1%)  Calcium  40 mg (4%)  Iron  0.1 mg (1%)  Magnesium  10 mg (3%)  Manganese  0.025 mg (1%)  Phosphorus  14 mg (2%)  Potassium  181 mg (4%)	Pantothenic acid (B5)	0.25 mg (5%)			
Choline       8.4 mg (2%)         Vitamin C       53.2 mg (64%)         Vitamin E       0.18 mg (1%)         Calcium       40 mg (4%)         Iron       0.1 mg (1%)         Magnesium       10 mg (3%)         Manganese       0.025 mg (1%)         Phosphorus       14 mg (2%)         Potassium       181 mg (4%)	Vitamin B6	0.06 mg (5%)			
Vitamin C       53.2 mg (64%)         Vitamin E       0.18 mg (1%)         Calcium       40 mg (4%)         Iron       0.1 mg (1%)         Magnesium       10 mg (3%)         Manganese       0.025 mg (1%)         Phosphorus       14 mg (2%)         Potassium       181 mg (4%)	Folate (vit. B9)	30 ?g (8%)			
Vitamin E       0.18 mg (1%)         Calcium       40 mg (4%)         Iron       0.1 mg (1%)         Magnesium       10 mg (3%)         Manganese       0.025 mg (1%)         Phosphorus       14 mg (2%)         Potassium       181 mg (4%)	Choline	8.4 mg (2%)			
Calcium 40 mg (4%)  Iron 0.1 mg (1%)  Magnesium 10 mg (3%)  Manganese 0.025 mg (1%)  Phosphorus 14 mg (2%)  Potassium 181 mg (4%)	Vitamin C	53.2 mg (64%)			
Iron       0.1 mg (1%)         Magnesium       10 mg (3%)         Manganese       0.025 mg (1%)         Phosphorus       14 mg (2%)         Potassium       181 mg (4%)	Vitamin E	0.18 mg (1%)			
Magnesium       10 mg (3%)         Manganese       0.025 mg (1%)         Phosphorus       14 mg (2%)         Potassium       181 mg (4%)	Calcium	40 mg (4%)			
Manganese         0.025 mg (1%)           Phosphorus         14 mg (2%)           Potassium         181 mg (4%)	Iron	0.1 mg (1%)			
Phosphorus 14 mg (2%) Potassium 181 mg (4%)	Magnesium	10 mg (3%)			
Potassium 181 mg (4%)	Manganese	0.025 mg (1%)			
3(1)	Phosphorus	14 mg (2%)			
Zinc 0.07 mg (1%)	Potassium	181 mg (4%)			
	Zinc	0.07 mg (1%)			

# Storage



Commercially, oranges can be stored by refrigeration in controlled-atmosphere chambers for up to 12 weeks after harvest. Storage life ultimately depends on cultivar, maturity, pre-harvest conditions, and handling. In stores and markets, however, oranges should be displayed on non-refrigerated shelves.

At home, oranges have a shelf life of about one month. In either case, optimally, they are stored loosely in an open or perforated plastic bag.

## **Applications:**

## Juice and other products

Oranges, whose flavour may vary from sweet to sour, are commonly peeled and eaten fresh or squeezed for juice. The thick bitter rind is usually discarded, but can be processed into animal feed by desiccation, using pressure and heat. It also is used in certain recipes as a food flavouring or garnish. The outermost layer of the rind can be thinly grated with a zester to produce orange zest. Zest is popular in cooking because it contains the oil glands and has a strong flavour similar to that of the orange pulp. The white part of the rind, including the pith, is a source of pectin and has nearly the same amount of vitamin C as the flesh and other nutrients.

Although not so juicy or tasty as the flesh, orange peel is edible and has higher contents of vitamin C and more fibre. It also contains citral, an aldehyde that antagonizes the action of vitamin A, Particularly in environments where resources are scarce and therefore maximum nutritional value must be obtained with the minimum generation of waste, for example, on a submarine, orange peels have been consumed routinely. Since large concentrations of pesticides have been found in orange peels, some organizations recommend consumption of the peel of only organically grown and processed oranges, where chemical pesticides or herbicides would not have been used.

## **Specifications:**

Chinese new fruits fresh navel orange fresh citrus fruits

- 1. Own orange production base
- 2. Over 5 years experience
- 3. New crop fresh orange
- 4. ISO 9001, SGS, HACCP, GLOBAL GAP

## **Competitive Advantage:**

- 1. We have our own factory & guarantee the quality
- 2. We have enough supply ability
- 3. We can supply more competitive price and service